AMENDMENTS TO THE CLAIMS

Please enter the following amendments:

1. (Currently Amended) A fuel cell assembly comprising:

a fuel cell stack formed by laminating a plurality of cells;

plus and minus current extraction sections, the current extraction sections extracting current generated by the fuel cell stack and sandwiching the fuel cell stack with respect to the direction of lamination, each current extraction section comprising a current extraction plate which is fixed to an end cell positioned on an end of the fuel cell stack so as to extract the generated current, and an end plate for uniformly binding the cells of the fuel cell stack; and

a passage allowing flow of a fluid, provided [[in]] <u>for</u> at least one of the current extraction sections plate and the end plate.

- 2. (Currently Amended) The fuel cell assembly as defined in Claim 1, wherein each current extraction section comprises a current extraction plate for extracting the generated current and an end plate for uniformly binding the cells of the fuel cell stack, and wherein the passage for the fluid is formed between the current extraction plate and the end plate.
- 3. (Currently Amended) The fuel cell assembly as defined in Claim 1, wherein each current extraction section comprises a current extraction plate for extracting the generated current and an end plate uniformly binding the cells of the fuel cell stack, the passage being is formed inside at least one of the current extraction plate and the end plate.

2

4. (Original) The fuel cell assembly as defined in Claim 1, wherein the fluid is cooling water for cooling the fuel cell stack.

5. (Currently Amended) A fuel cell system comprising:

a fuel cell assembly comprising;

a fuel cell stack formed by laminating a plurality of cells;

plus and minus current extraction sections, the current extraction sections extracting current generated by the fuel cell stack and sandwiching the fuel cell stack with respect to the direction of lamination, each current extraction section comprising a current extraction plate which is fixed to an end cell positioned on an end of the fuel cell stack so as to extract the generated current, and an end plate for uniformly binding the cells of the fuel cell stack;

a passage allowing flow of a fluid, provided [[in]] <u>for</u> at least one of the current extraction <u>sections</u> plate and the end plate;

and

a heating device for heating the passage for the fluid.

- 6. (Previously Presented) The fuel cell system according to Claim 5, wherein the fluid is combustible and the heating device comprises a catalyst applied to the passage in order to combust the fluid.
- 7. (Previously Presented) The fuel cell system according to Claim 5, wherein the heating device heats the fluid and supplies the heated fluid to the passage.

8. (Original) The fuel cell system according to Claim 5, wherein the fluid is combustible and

the heating device comprises an ignition device for combusting the fluid.

9. (Original) The fuel cell system according to Claim 5, wherein the heating device heats at

least one of the current extraction sections when the fuel cell stack is started up.

10. (Original) The fuel cell system according to Claim 9, wherein the heating device comprises

means for combusting cathode gas for the fuel cell stack and the heating device heats at least one

of the current extraction sections using the heat of combustion.

11. (Original) The fuel cell system according to Claim 9, wherein the heating device comprises

means for combusting a gaseous mixture of cathode gas and anode gas for the fuel cell stack and

the heating device heats at least one of the current extraction sections using the heat of

combustion.

12 - 18. (Cancelled).

19. (Previously Presented) The fuel cell system according to Claim 11, wherein the anode gas is

an anode gas discharged from the fuel cell stack.

20. (Previously Presented) The fuel cell system according to Claim 9, wherein the heating device comprises means for supplying anode gas for the fuel cell stack to the current extraction sections after supplying cathode gas for the fuel cell stack to the current extraction sections and means for combusting the gaseous mixture of anode gas and cathode gas.

- 21. (Previously Presented) The fuel cell system according to Claim 20, wherein the anode gas is an anode gas discharged from the fuel cell stack.
- 22. (Currently Amended) The fuel cell system according to Claim 5, wherein each current extraction section comprises a current extraction plate extracting the generated current and an end plate uniformly binding the cells of the fuel cell stack, and wherein the passage for the fluid is formed between the current extraction plate and the end plate.
- 23. (Currently Amended) The fuel cell system according to Claim 5, wherein the current extraction section comprises a current extraction plate—for extracting the generated current and an end plate—uniformly binding the cells of the fuel cell stack, and wherein the passage is formed in at least one of the current extraction plate and the end plate.

24. (Currently Amended) A fuel cell assembly comprising:

a fuel cell stack formed by laminating a plurality of cells;

plus and minus current extraction sections, the current extraction sections extracting current generated by the fuel cell stack and sandwiching the fuel cell stack with respect to the direction of lamination, each current extraction section comprising a current extraction plate which is fixed to an end cell positioned on an end of the fuel cell stack so as to extract the generated current, and an end plate for uniformly binding the cells of the fuel cell stack; and

an enclosed cavity for confining fluid therein formed in at least one of the current extraction sections.

- 25. (Previously Presented) The fuel cell assembly as defined in Claim 24, wherein each current extraction section comprises a current extraction plate for extracting the generated current and an end plate for uniformly binding the cells of the fuel cell stack, and wherein the enclosed cavity is formed between the current extraction plate and the end plate.
- 26. (Previously Presented) The fuel cell assembly as defined in Claim 24, wherein each current extraction section comprises a current extraction plate for extracting the generated current and an end plate uniformly binding the cells of the fuel cell stack, the enclosed cavity being formed inside at least one of the current extraction plate and the end plate.
- 27. (New) The fuel cell assembly as defined in Claim 1, wherein the end plate is formed from a material which has a lower coefficient of thermal conductivity than a material for forming the current extraction plate.